

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/13/2015 Version: 1.0

#### **SECTION 1: Identification** Identification 1.1. Product form : Substance Substance name Acetic acid, phenoxy-, 2-propenyl ester Chemical name Allyl phenoxyacetate CAS-No. 7493-74-5 Product code (US) W01356 Formula : C11H12O3 Synonyms : Acetate, phenoxy-, 2-propenyl / Acetic acid, phenoxy-, allyl ester / Allyl phenoxyacetate / Acetic acid, 2-phenoxy-, 2-propen-1-yl ester / 2-Propenyl phenoxyacetate 1.2. Recommended use and restrictions on use No additional information available Supplier 1.3. Synerzine 5340 Hwy 42 S Ellenwood, Georgia 30294 - USA T 404-524-6744 - F 404-577-1651 info@synerzine.com - www.synerzine.com 1.4. Emergency telephone number **Emergency** number : Infotrac 1-800-535-5053 (Contract# 102471) Dial +1-352-323-3500 when outside the US SECTION 2: Hazard(s) identification Classification of the substance or mixture 2.1. **GHS-US classification** Acute toxicity (oral) H302 Harmful if swallowed Category 4 H311 Toxic in contact with skin Acute toxicity (dermal) Category 3 Harmful if inhaled Acute toxicity (inhalation) H332 Category 4 Full text of H statements : see section 16 GHS Label elements, including precautionary statements 2.2. **GHS-US** labeling Hazard pictograms (GHS-US) Signal word (GHS-US) : Danger Hazard statements (GHS-US) H302+H332 - Harmful if swallowed or if inhaled ÷ H311 - Toxic in contact with skin Precautionary statements (GHS-US) P261 - Avoid breathing fume, gas, mist, spray, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear eye protection, face protection, protective clothing, protective gloves. P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell P302+P352 - If on skin: Wash with plenty of soap and water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P312 - Call a doctor, a POISON CENTER if you feel unwell P330 - Rinse mouth.

- P405 Store locked up.
  - P501 Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not	t result in classification	1		
No additional information available				
2.4. Unknown acute toxicity (GF Not applicable	нз 03)			
••	umotion on incredia			
ECTION 3: Composition/Info	rmation on ingredie	ints		
3.1. Substances				
Name		Product identifier (CAS-No.) 7493-74-5	% 97 - 100	GHS-US classification Acute Tox. 4 (Oral), H302
Acetic acid, phenoxy-, 2-propenyl ester (Main constituent)		(CAS-N0.) /495-74-5	97 - 100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332
'ull text of hazard classes and H-statements	: see section 16			
.2. Mixtures				
lot applicable				
ECTION 4: First-aid measures				
1.1. Description of first aid mea			-11	
'irst-aid measures general 'irst-aid measures after inhalation	-	r/doctor/physician if you feel unv fresh air and keep comfortable for		all a noison
חשר-מות חוכמשנו כש מונכו וווומומנוטוו		rsician if you feel unwell.	i bi caulilig. C	
irst-aid measures after skin contact	: Wash skin with ple	enty of water. Remove/Take off in	mediately all	contaminated clothing.
irst-aid measures after eye contact	: Rinse eyes with wa	ater as a precaution.		
irst-aid measures after ingestion	: Rinse mouth. Call a	a poison center/doctor/physician	if you feel un	well.
.2. Most important symptoms a	and effects (acute and	delayed)		
lo additional information available				
.3. Immediate medical attentio	on and special treatme	nt, if necessary		
Freat symptomatically.				
SECTION 5: Fire-fighting meas	sures			
.1. Suitable (and unsuitable) e	extinguishing media	oowder. Foam. Carbon dioxide.		
.1. Suitable (and unsuitable) e uitable extinguishing media	extinguishing media : Water spray. Dry p	oowder. Foam. Carbon dioxide.		
Suitable extinguishing media	extinguishing media : Water spray. Dry p om the chemical	oowder. Foam. Carbon dioxide. 1-reactive under normal condition	s of use, stora	ge and transport.
<ul> <li>Suitable (and unsuitable) e</li> <li>Suitable extinguishing media</li> <li>Specific hazards arising fro</li> <li>Reactivity</li> </ul>	extinguishing media : Water spray. Dry p om the chemical : The product is nor	n-reactive under normal condition	s of use, stora	ge and transport.
5.1. Suitable (and unsuitable) e Guitable extinguishing media 5.2. Specific hazards arising fro Reactivity 5.3. Special protective equipme	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to	n-reactive under normal condition fire-fighters take action without suitable prote		
<ul> <li>Suitable (and unsuitable) e uitable extinguishing media</li> <li>Specific hazards arising fro leactivity</li> <li>Special protective equipme protection during firefighting</li> </ul>	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple	n-reactive under normal condition fire-fighters		
Suitable (and unsuitable) e         suitable extinguishing media         S.2.       Specific hazards arising fro         Reactivity         S.3.       Special protective equipme         Protection during firefighting         SECTION 6: Accidental release	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple	r-reactive under normal condition fire-fighters take action without suitable prote te protective clothing.		
<ul> <li>Suitable (and unsuitable) e uitable extinguishing media</li> <li>Specific hazards arising fro teactivity</li> <li>Special protective equipme protection during firefighting</li> <li>ECTION 6: Accidental release</li> <li>Personal precautions, protection</li> </ul>	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple	r-reactive under normal condition fire-fighters take action without suitable prote te protective clothing.		
Suitable (and unsuitable) e         suitable extinguishing media         S.2.       Specific hazards arising fro         Reactivity         S.3.       Special protective equipme         Protection during firefighting         SECTION 6: Accidental release         S.1.       Personal precautions, protection	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e	r-reactive under normal condition fire-fighters take action without suitable prote te protective clothing.	ctive equipmo	ent. Self-contained breathing
.1.       Suitable (and unsuitable) e         uitable extinguishing media       .2.         .2.       Specific hazards arising fro         teactivity       .3.         Special protective equipme         Protection during firefighting         SECTION 6: Accidental release         .1.       Personal precautions, protection         .1.1.       For non-emergency personnel         Simergency procedures	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e	n-reactive under normal condition fire-fighters take action without suitable prote te protective clothing. mergency procedures	ctive equipmo	ent. Self-contained breathing
.1. Suitable (and unsuitable) e         uitable extinguishing media         .2. Specific hazards arising fro         eactivity         .3. Special protective equipme         rotection during firefighting         ECTION 6: Accidental release         .1. Personal precautions, prote         .1.1. For non-emergency personnel         mergency procedures         .1.2. For emergency responders	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e : Avoid contact with : Do not attempt to	n-reactive under normal condition fire-fighters take action without suitable prote te protective clothing. mergency procedures	ctive equipme eathing fume, ctive equipme	ent. Self-contained breathing gas, mist, spray, vapors.
.1. Suitable (and unsuitable) e         uitable extinguishing media         .2. Specific hazards arising fro         teactivity         .3. Special protective equipme         Protection during firefighting         ECTION 6: Accidental release         .1. Personal precautions, protection         .1. For non-emergency personnel         mergency procedures         .1.2. For emergency responders         Protective equipment         .2. Environmental precautions	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e : Avoid contact with : Do not attempt to to section 8: "Expo	n-reactive under normal condition fire-fighters take action without suitable prote te protective clothing. mergency procedures a skin, eyes and clothing. Avoid breact take action without suitable prote	ctive equipme eathing fume, ctive equipme	ent. Self-contained breathing gas, mist, spray, vapors.
Suitable (and unsuitable) envirable extinguishing media     Specific hazards arising from Reactivity     Source equipmer Protection during firefighting     SECTION 6: Accidental release     Suitable extended and precautions, protection for the environment extended and precautions are supported as a support of the environment extended and precautions are supported as a support of the environment extended as a support of the environment.	extinguishing media : Water spray. Dry p im the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e : Avoid contact with : Do not attempt to to section 8: "Expo	e-reactive under normal condition fire-fighters take action without suitable prote- te protective clothing. •mergency procedures a skin, eyes and clothing. Avoid breaction take action without suitable prote- sure controls/personal protection	ctive equipme eathing fume, ctive equipme	ent. Self-contained breathing gas, mist, spray, vapors.
<ul> <li>Suitable (and unsuitable) e</li> <li>Suitable extinguishing media</li> <li>Specific hazards arising fro</li> <li>Reactivity</li> <li>Special protective equipme</li> <li>Protection during firefighting</li> <li>ECTION 6: Accidental release</li> <li>Personal precautions, protections, protection</li> <li>For non-emergency personnel</li> <li>Emergency procedures</li> <li>Solt.2. For emergency responders</li> <li>Protective equipment</li> <li>Environmental precautions</li> <li>Avoid release to the environment.</li> <li>Methods and material for c</li> </ul>	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e : Avoid contact with : Do not attempt to to section 8: "Expo containment and cleani	n-reactive under normal condition fire-fighters take action without suitable prote- te protective clothing. mergency procedures a skin, eyes and clothing. Avoid bre- take action without suitable prote- sure controls/personal protection ng up	ctive equipme eathing fume, ctive equipme	ent. Self-contained breathing gas, mist, spray, vapors.
Suitable (and unsuitable) envirable extinguishing media     Specific hazards arising from Reactivity     Source equipmer Protection during firefighting     SECTION 6: Accidental release     Suitable extended and precautions, protection for the environment extended and precautions are supported as a support of the environment extended and precautions are supported as a support of the environment extended as a support of the environment.	extinguishing media : Water spray. Dry p om the chemical : The product is nor ent and precautions for : Do not attempt to apparatus. Comple e measures ective equipment and e : Avoid contact with : Do not attempt to to section 8: "Expo containment and cleani : Take up liquid spil	e-reactive under normal condition fire-fighters take action without suitable prote- te protective clothing. •mergency procedures a skin, eyes and clothing. Avoid breaction take action without suitable prote- sure controls/personal protection	ctive equipme eathing fume, ctive equipme	ent. Self-contained breathing gas, mist, spray, vapors.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Mo	nday, March 26, 2012 / Rules and Regulations
SECTION 7: Handling and stor	age
7.1. Precautions for safe handl	ing
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing fume, gas, mist, spray, vapors.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage conditions	: Store locked up. Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls	/personal protection
8.1. Control parameters	
No additional information available	
8.2. Appropriate engineering co	ontrols
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection meas	sures/Personal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
Wear respiratory protection.	

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical	l and chemical properties	
Physical state	: Liquid	
Appearance	: A colorless to pale yellow liquid.	
Color	: colorless to pale yellow	
Odor	: honey-like pineapple aroma	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: 265 - 266 °C	
Flash point	: 235 °F TCC	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Not applicable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Specific gravity / density	: 1.1 - 1.105 g/cm <sup>3</sup>	
Molecular mass	: 192.22 g/mol	
Solubility	: No data available	
Log Pow	: No data available	
Auto-ignition temperature	: No data available	
06/22/2018	EN (English US)	3/7

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity

: Not classified

Acetic acid, phenoxy-, 2-propenyl ester (7493-74-5)		
LD50 oral rat	475 μl/kg	
ATE US (oral)	500 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: Not classified	

### SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 12.2. Persistence and degradability

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport informatio	n
Department of Transportation (DOT)	
In accordance with DOT	
Transport document description	: UN2810 Toxic, liquids, organic, n.o.s., 6.1, III
UN-No.(DOT)	: UN2810
Proper Shipping Name (DOT)	: Toxic, liquids, organic, n.o.s.
Class (DOT)	: 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132
Packing group (DOT)	: III - Minor Danger
Hazard labels (DOT)	: 6.1 - Poison
DOT Decleasing Non Dulls (40 CED 172 yrst)	POISON 6
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	: 203 : 241
DOT Fackaging burk (49 CFK 175.xxx)	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite
	(31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).
	T7 - 4 $178.274(d)(2)$ Normal 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in 178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 153
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Other information	: No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Transportation of Dangerous Goods**

### Transport by sea

Transport document description (IMDG)	: UN 2810 TOXIC LIQUID, ORGANIC, N.O.S., 6.1, III
UN-No. (IMDG)	: 2810
Proper Shipping Name (IMDG)	: TOXIC LIQUID, ORGANIC, N.O.S.
Class (IMDG)	: 6.1 - Toxic substances
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5L

#### Air transport

Transport document description (IATA)	: UN 2810 Toxic liquid, organic, n.o.s., 6.1, III
UN-No. (IATA)	: 2810
Proper Shipping Name (IATA)	: Toxic liquid, organic, n.o.s.
Class (IATA)	: 6.1 - Toxic Substances
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Acetic acid, phenoxy-, 2-propenyl ester (7493-74-5)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

#### **CANADA**

Acetic acid, phenoxy-, 2-propenyl ester (7493-74-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

Acetic acid, phenoxy-, 2-propenyl ester (7493-74-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### National regulations

#### Acetic acid, phenoxy-, 2-propenyl ester (7493-74-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

### 15.3. US State regulations

No additional information available

### SECTION 16: Other information

#### Full text of H-phrases:

H302	Harmful if swallowed
H311	Toxic in contact with skin
H332	Harmful if inhaled

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Personal protection	: C
	C - Safety glasses, Gloves, Synthetic apron

Synerzine US

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product